## 020/2016

Maximum: 100 marks

Time: 1 hour and 15 minutes

				Time . I nout and 10 minutes
1.	The ratio	of mobility of holes to mobility of el	ectrons is	
	(A)	1:2	(B)	2:1
	(C)	1:1	(D)	1:3
2.	What hap	oens to the Fermi level if an intrin	sic semico	nductor is doped with acceptor atoms?
	(A)	Unaffected	(B)	Slightly raised
	(C)	Slightly lowered	(D)	Considerably lowered
3.	PIN diode	s are used in which frequency rang	ge?	
	(A)	20Hz-20kHz	(B)	Less than 100Hz
	(C)	20kHz-40kHz	(D)	Greater than 300MHz
4.	Which of t	the following is not true for a comm	non collect	or amplifier?
	(A)	Current gain is high	(B)	Voltage gain is high
	(C)	Output impedance is very low	(D)	Input impedance is very high
5.	The coeffi	cient of the term $(z-1)^2$ in the Tz $z=1$ is:	aylor's ser	ies of the function (z) = $1/(z^2 - 9)$ about
			(B)	32
	(C)	$\frac{-1}{32}$ $\frac{3}{128}$	(D)	$\frac{-3}{128}$
6.	If the un	certainty in the velocity of a part	ticle is equ	nal to its velocity, what is the order of
	(A)	P	(B)	λ
	(C)	$\frac{p}{m}$	(D)	$\frac{p}{2m}$
7.	The ener	gy of the particle in three dimen	sional cub	hic box of length L is given by $\frac{21\pi^2\hbar^2}{2mL^2}$ ,
	then the	degeneracy of the state is:		
	(A)	1	(B)	
	(C)	6	(D)	12
Δ			3	mmol

8.	If the op	erators A and B commute wit	th H and [A, B]	= C, where C is another operator, then
	(A)		(B)	
	(C)	[H, C] = C	(D	[H, C] = 1
9.	If the qu	antum mechanical operators	of two observal	oles of a system do not commute, then:
	(A)			
	(B)	The observables are said to	be compatible	
	(C)	Observables must be time	independent	
	(D)	Total energy of the system	must be negati	ve
10.	How muc	ch energy is required to remo	ve an electron f	rom n = 8 state of hydrogen atom?
	(A)	0.21 eV	(B)	
	(C)	13.6 eV	(D)	27.2 eV
11.	The grou	nd state of a linear harmonic	oscillator is:	
	(A)	Trigonometric function	(B)	Gaussian function
	(C)	Hyperbolic function	(D)	Bessel function
12.	The mass	m of a moving particle is $\frac{2m}{\sqrt{3}}$	$\frac{1_0}{3}$ , where $m_0$ is	its rest mass. The linear momentum of
	the partic	:le is :		
	(A)	$2m_{q}c$	(B)	$\frac{2m_0}{\sqrt{3}}$ $\frac{m_0c}{\sqrt{3}}$
	(C)	$2m_0$	(D)	$\frac{m_e c}{\sqrt{3}}$
13.	om partic	a 6 particle system with 5 le at the centre. If all the 5 p number of degrees of freedom	articles are con	nged as a regular pentagon with the nected to the central one by rigid rods, is:
	(A)	13	(B)	6
	(C)	5	(D)	18
14.	The homog	geneity of time leads to the la	w of conservation	on of:
	(A)	Linear momentum	(B)	Angular momentum
	(C)	Energy	(D)	Parity
20/2	2016		4	A

- 15. If a particle move in a horizontal plane in a central force potential U(r), which of the following physical quantities are conserved:
  - (A) Angular momentum only
  - (B) Energy only
  - (C) Both angular momentum and energy
  - (D) Linear momentum and energy
- 16. Which of the following is wrong?
  - (A)  $[L^2, L_z] = 0$

(B)  $[L_z, L_*] = \hbar L_*$ 

(C)  $[L_+, L_-] = 2 \hbar L_z$ 

- (D)  $[L_-, L_z] = -\hbar L$
- 17. For what value of  $\alpha$  and  $\beta$  do the equations  $Q=q^a\cos\beta p,\, p=q^a\sin\beta p$ , represent a canonical transformation:
  - (A)  $\alpha = 2$ ;  $\beta = \frac{1}{2}$

(B)  $\alpha = 2$ ;  $\beta = 2$ 

(C)  $\alpha = \frac{1}{2}; \beta = 2$ 

- (D)  $\alpha = 2$ ;  $\beta = 1$
- 18. If a particle has rest mass  $m_0$  and velocity  $\frac{c}{2}$ , then the momentum of the particle is:
  - (A) m<sub>0</sub>c

(B) 2m<sub>0</sub>c

(C)  $\frac{m_0c}{\sqrt{2}}$ 

- (D)  $\frac{m_0c}{\sqrt{3}}$
- 19. If all the surfaces are closed in a region containing volume V, then which of the following theorem is applicable?
  - (A) Stokes theorem

- (B) Green's theorem
- (C) Gauss Divergence theorem
- (D) DeMorgans theorem
- 20. A spherically symmetric charge distribution is given by  $\rho(r) = \rho_0 \left(\frac{1-r^2}{a^2}\right)$ , if the value of r is between 0 and a and  $\rho(r) = 0$ , if r is greater than a, if  $8\pi a^2 \rho_0 = k$ , then the total charge of the distribution is:
  - (A)  $\frac{k}{15}$

(B)  $\frac{ka}{17}$ 

(C)  $\frac{ka}{15}$ 

(D) Zero

21.			as it travels from a	lenser medium to a rarer medium?				
	(A)	Decreases	(B)	Increases				
	(C)	Remains the same	(D)	Cannot predict				
22.	Gibbs pa	radox in statistical mech	anics is related to th	e additive property of :				
	(A)	Energy	(B)	Momentum				
	(C)	Entropy	(D)	Temperature				
23.	The rms volume ti	speed of hydrogen gas ill the pressure become 9	molecules at STP is times its original va	s v m/s The gas is heated at constant lue. What will be the new rms speed?				
	(A)	30	(B)	90				
	(C)	18v	(D)	<u>v</u> 3				
24.	A canonical ensemble represents:							
	(A)	(A) An equilibrium system with a fixed volume which can exchange energy and matter with the surroundings						
	(B) An equilibrium system with a fixed volume and a fixed number of particles which can exchange energy with the surroundings							
	(C)	An isolated system						
	(D)	A system at constant p	ressure					
25.	What is to	a nuclear physicist as I	lydrogen is to an Ato	mic physicist?				
	(A)	Neutron	(B)	Deuteron				
	(C)	Deuterium	(D)	Proton				
26.	Which of t	the following statement a Spindependent	about nuclear force is	wrong?				
	(B)	Charge symmetric						
	(C)	Always attractive						
	(D)	Depends on the momen	tum of the nucleons	<b>加拿台州等的发展的</b>				

27. The relation between mean life au and half-life  $T_{rac{1}{2}}$  of a radioactive sample is :

(A)  $\tau = 2T_{\frac{1}{2}}$  (B)  $\tau = \frac{T_{\frac{1}{2}}}{2}$   $\tau = \frac{T_{\frac{1}{2}}}{2}$   $\tau = 0.693T_{\frac{1}{2}}$ 

- 28. The ratio of energies of thermal neutrons to slow neutrons in keV is:

  (A)  $25 \times 10^{-6}:1$ (B)  $1:10^3$ (C)  $1:10^6$ (D)  $1:25 \times 10^{-6}$ 29. Residue of the function  $f(z) = \frac{z^2}{(z^4 + 4)}$  at z = 2i is:
- (A)  $e^{\frac{3i\pi}{4}}$  (B)  $e^{i\pi}$  (C)  $e^{\frac{8i\pi}{2}}$  (D)  $e^{\frac{i\pi}{2}}$
- 30. The electric field due to a charge q is given by  $E=\frac{qr}{r^2}$ . The value of the surface integral  $\iint E \cdot dS$  depends on :
  - (A) The area of the surface
  - (B) The radial distance r
  - (C) The shape of the surface
  - (D) The charge
- 31. The field of magnetic vector B is always:
  - (A) Irrotational (B) Solenoidal
    - (C) Non-solenoidal (D) Both irrotational and non-solenoidal
- 32. Eight electric dipoles of charges of magnitude 'e' are placed inside a cube .The total electric flux coming out of the cube will be :
  - A)  $\frac{8e}{\epsilon_0}$  (B)  $\frac{16e}{\epsilon_0}$
  - (C)  $\frac{e}{\epsilon_0}$  (D) Zero
- 33. A point charge is placed at the centre of a spherical Gaussian surface. The electric flux crossing the surface will change if:
  - (A) The sphere is replaced by a cube of different volume and surface area
  - (B) The point charge is moved off from the centre but still remains inside the sphere
  - (C) The point charge is moved just to the outside of the sphere
  - (D) Another point charge is placed just outside the sphere

020/2	2016	8		A			
223		1	(D)	120			
	(A)	100	(B)	10			
42.	Number of	f microstates for d³ configuration is	:				
	(C)	$D_2h$	(D)	Td			
	(A)	C <sub>2</sub> V	(B)	$C_{\rm s}V$			
41.		group of ammonia molecule is:					
		C	(D)	Ruby			
	(A)	Java	(B)	C++			
40.		the following is not an object oriented	ed progra	mming language?			
hij.	(C)	Blue in colour	(D)	An insulator			
	(A)	Transparent	(B)	Red in colour			
39.		ano scale is :					
	(D)	Number of neutrons and protons a	are unequ	ial.			
-	(C)	Nucleus has only neutrons					
	(B)	Nucleus has only protons					
	(A)	Number of protons and neutrons					
38.	In which of the following cases an atom is expected to possess nuclear magnetic moment?						
	(C)	15.5 K	(D)	10.5 K			
	(A)	13.5 K	(B)	14.5 K			
37.	Carcurate	For a specimen of $V_3$ Ga, the critical fields are 0.176T and 0.528T at 14K and 13K respectively. Calculate the transition temperature:					
0.55			(D)	HBr			
	(A)	H <sub>2</sub> HCl	(B)	CO			
30.	(A)	the following molecules does not ex					
36.			(D)				
	(C)		(B)				
35.	Which of space qu (A)	antization and L-S coupling?		iscrete energy levels, Larmorprecession			
	(D)						
	(C)						
	(B)	F can be represented as a gradie	nt of a sc	alar function Φ			
	(A)	F is the curl of some vector r					
34.	A vector	field F is said to be conservative if	and only	if:			

13.	What is th	e term symbol arising from the g	round state	electronic configuration of Na:
			(B)	$^{2}P_{\frac{1}{2}}$
	(A) (C)	$^4P_{\frac{3}{2}}$	(D)	$^{2}S_{0}$
44.	Which am	ong the following is the strongest		
	(A)	CH <sub>3</sub> COO	(B)	$NO_3^-$
	(C)	SO <sub>4</sub> -	(D)	Cl <sup>-</sup>
45.	Which am	ong the following is thermodynameratures and pressures?	mically the	most stable allotropic form of carbon at
		Fullerene	(B)	Diamond
		β - Graphite	(D)	α - Graphite
46.	The oxid	ation number of P in pyrophosph	orous acid i	s:
	(A)	+2	(B)	
	(C)	+5	(D)	+3
47.	The stro	ngest reducing agent amongst th	e following i	is:
	(A)	$BiH_2$		$NH_3$
		AsH <sub>3</sub>		$PH_3$
48.	A graphi	cal representation of free energies:	gy vs. temp	erature for the formation of oxides of
	(A)	Contract the contract of the c	(B)	Ellingham diagram
	(C)	Pourbaix diagram	(D)	Flow diagram
49.	Siderite i	s an ore of:		
	(A)	Al	(B)	Zn
	(C)	Pb	(D)	Fe
50.	For noble	gases, the electronic partition fu	inction has	a value of:
	(A)	0	(B)	1
	(C)	2	(D)	$\frac{1}{2}$
51.	Cross Ca	nnizzaro reaction is given by:		
	(A)	Acetaldehyde, Formaldehyde	(B)	Benzaldehyde, Acetaldehyde
	(C)		(D)	All of these
52.	Iodoforn	test is not given by:		
	(A)		(B)	2-Pentanone
	(C)		(D)	) Ethanol
A	(0)		9	020/2016
-				[P.T.O.]

00.	WHICH OF	the following is not aromatic:		
	(A)	Benzene	(B)	Anthracene
	(C)	Cyclobutadiene	(D)	Thiophene
54.	Aliphatic	polyamides are generally known a	s:	
	(A)	Polypropylene	(B)	Terylenes
	(C)	Bakelite	(D)	Nylones
55.		mer's resulting from the restrict		n about the single bonds, where the the isomeric species are called:
	· (A)	Atropisomers	(B)	Diastereomers
	(C)	Epimers	(D)	Anomers
56.		alous ORD (Optical Rotatory Dia , and a point of crossover. This effe		curve exhibits both a maximum and is called:
	(A)	Gauche effect	(B)	Anomeric effect
	(C)	Cotton effect	(D)	Stereoelectronic effect
57.		ving an $\alpha$ -hydrogen atom on trea- keto ester. Identify this reaction :		th a strong base like sodium ethoxide
	(A)	Claisen condensation	(B)	Darzen condensation
	(C)	Aldol condensation	(D)	Houben-Hoesch reaction
58.	The heati	ng of an acyl azide to an isocyanate	e is known	as:
	(A)	Beckmann rearrangement	(B)	Lossen rearrangement
	(C)	Allylic rearrangement	(D)	Curtius rearrangement
59.	Anhydrou	s AlCl <sub>3</sub> is not used as a reagent in	:	
	(A)	Friedel-Craft reaction	(B)	Birch reduction
	(C)	Gattermann Koch reaction	(D)	Fries migration
60.		ditary shortage of ceruloplasmin and brain is:	esulting i	n the accumulation of copper in liver,
	(A)	Scurvy	(B)	Pernicious anaemia
	(C)	Wilson's disease	(D)	Beriberi
61.	Which an	nong the following is not a Haem m	etalloprot	ein?
	(A)	Haemerythrin	(B)	Cytochromes
	(C)	Myoglobin	(D)	Haemoglobin
020	2016	1	0	A

62.	Consider the following ligand substitution reaction : $V(CO)_6 + PR_3 \rightarrow V(CO)_5(PR_3) + CO$ . The reaction rate exhibits the following dependence upon the identity of the phosphorous nucleophile used, $PMe_3 > PBu_3 > P(OMe)_3 > PPh_3$ . Identify the type of reaction :				
	(A)	Associative	(B)	Dissociative	
		Both associative and dissociative	(D)	Cannot be predicted	
63.	Which com	pound is most likely to undergo oxidat	ive ac	dition of H <sub>2</sub> ?	
00.		$[Fe(CO)_5]$	(B)		
		$[Rhl_{*}(CO_{2})]^{-}$	(D)	$[HFe(CO)_4]^-$	
64.	The spin or	nly magnetic moment of the complex [.	Mn(en	$(l)_2Cl_2$ ] is:	
	(A)	1.73 μΒ	(B)	$2.83~\mu B$	
	(C)	$3.8\mu B$	(D)	$5.92~\mu B$	
65.	Linkage is	omerism in coordination compounds is	due t	to:	
	(A)	Bidentate ligand	(B)	Chelating ligand	
	(C)	Ambidentate ligand	(D)	Bridging ligand	
66.	An equation	on that represents the exact relationsh nsion of the solvent due to presence of	ip bet a solu	tween the adsorption and the change of ite is known as :	
	(A)	Sackur-Tetrode equation	(B)	Gibbs-Duhem equation	
	(C)	Duhem-Margules equation	(D)	Gibbs adsorption equation	
67.	The electr	ic field which is created when charged	parti	cles move relative to a stationary liquid	
	(A)	Streaming potential	(B)	Electrophoresis	
	(C)	Electro-osmosis	(D)	Sedimentation potential	
68.	Thermody	namically, formation crystal defects is	an:		
00.	(A)	Exothermic process	(B)	Endothermic process	
	(C)	Neither exothermic nor endothermic	(D)	May be exothermic or endothermic	
69.	the superconductor exceeds a critical				
	(A)	Meissner effect	(B)	Silsbee effect	
	(C)	Stark effect	(D)	Josephson effect	
70.	The micro	oscopic techniques, which is based on t	he ca	ntilever principle is:	
	(A)	IR microscopy	(B)	Atomic Force Microscopy	
	(C)	Scanning Electron microscopy	(D)		
A		11		020/2016 [P.T.O.]	

11.	The spec	troscopic technique that deals with th	ie emiss	non of secondary electron is:			
	(A)	X-ray fluorescence	(B)	Photoelectron Spectroscopy			
	(C)	Ion scattering spectroscopy	(D)	Auger electron spectroscopy			
72.	The ESR	spectrum of benzene radical $\left(\cdot C_{\rm g} H_{\rm g}\right)$	is:				
	(A)	Septet	(B)	Sextet			
	(C)	Quartet	(D)	Singlet			
73.		Identify the organic compound, which shows a septet around 1.5 ppm and a doublet around $0.9$ ppm in the $^1H$ nuclear magnetic resonance spectrum:					
	(A)	$C_6H_5COCH_3$	(B)	$C_3H_6-CO-CH_3$			
	(C)	$(CH_3)_2CHNO_3$	(D)	$CH_3CH_2NO_2$			
74.	Which is	the analytical technique based on the	princip	ole of selective adsorption?			
	(A)	Differential scanning calorimetry		Chromatography			
	(C)	Mass spectrometry	(D)	Thermo-gravimetric analysis			
75.	Electron,	proton and neutrons belong to the cla	ass of:				
*	(A)	Bosons	(B)	Boltzons			
	(C)	Fermions	(D)	None of the above			
76.	If the partition function of systems A and B are $\phi_A$ and $\phi_B$ and their energies $E_A$ and $E_B$ respectively. What will be the total partition function and total energy of the two systems?						
		$\phi_A \times \phi_B$ and $E_A \times E_B$		$\phi_A + \phi_B$ and $E_A + E_B$			
	(C)	$\phi_{\scriptscriptstyle A}  imes \phi_{\scriptscriptstyle B}$ and $E_{\scriptscriptstyle A} + E_{\scriptscriptstyle B}$	(D)	$\phi_A + \phi_B$ and $E_A \times E_B$			
77.	In a grand canonical ensemble, which all parameters are the same for all members of the ensemble?						
	(A)	N, V, E	(B)	$\mu, V, T$			
	(C)	N, V, T	(D)	$\mu, V, T$ $\mu, N, T$			
78.	The order	of radioactive disintegration is :	-				
	(A)	3	(B)	2			
	(C)	0	(D)	1			
79.	Identify the transformation, which has a negative value for enthalpy change:						
	(A)	$Na_{(s)} \rightarrow Na_{(g)}$	(B)	$Na_{(g)} \rightarrow Na^{+_{(g)}}$			
	(C)	$Cl_{(\varepsilon)} \to Cl^-$	(D)	$Cl_{(g)} \rightarrow Cl^{-}_{(g)}$			
80.	Joule-Tho	mson expansion is :					
	(A)	lsenthalpic	(B)	Isentropic			
	(C)	Isothermal	(D)	Isochoric			
020/	2016	12		A			

81.	The only	omicer anowed to participate in	the deliberati	ions of the indian rarnament is.
	(A)	Cabinet Secretary	(B)	Attorney General
	(C)	Solicitor General	(D)	Advocate General
82.	Indian Fe	deration is based on the pattern	of:	
	(A)	Russia	(B)	United States of America
	(C)	Switzerland	(D)	Canada
88.	Article 28	0 of the Indian Constitution des	als with:	
	(A)	Finance Commission	(B)	Planning Commission
	(C)	Election Commission	(D)	Law Commission
84.	The powe		to decide dis	pute between the Centre and the State
	(A)	Advisory jurisdiction	(B)	Appellate jurisdiction
	(C)	Original jurisdiction	(D)	Constitutional jurisdiction
85.	The word	s 'Socialist' and 'Secular' were a	dded to the P	reamble by:
	(A)	47th Amendment	(B)	44th Amendment
	(C)	41st Amendment	(D)	42 <sup>nd</sup> Amendment
86.		chensive scheme for prevention of victims':	on of Traffic	king and Rescue Rehabilitation and
	(A)	Swadhar Greh	(B)	Ujjawala
	(C)	Kishori Shakti Yojana	(D)	Beti Bachao Beti Padhao Scheme
87.	The Worl	d Environment Day is observed	on:	
	(A)	5 <sup>th</sup> September	(B)	19th June
	(C)	5 <sup>th</sup> June	(D)	29th August
88.	The Right	to Information Act was passed	in the year:	
	(A)	2005	(B)	2008
	(C)	1999	(D)	2010
89.	The first	Characteristic Malayalam novel	l:	
	(A)	Dharma Raja	(B)	Indulekha
	(C)	Kundalata	(D)	Meenakshi
90.	Pattini Ja	atha led by :		
	(A)	E.M. Sankaran Namoodiri	(B)	P.K. Krishna Pillai
	(C)	C.K. Govindan Nair	(D)	A.K. Gopalan
A		*	13	020/2016
				THE PROPERTY OF THE PROPERTY O

[P.T.O.]

91.	Tatwapra	kasika Ashram started by:		
	(A)	Vaghbhatananda	(B)	V.T. Bhattathirippad
	(C)	Brahmananda Shivayogi	(D)	Sahodaran Ayyappan
92.	The first	Western Education School of Malabar v	vas st	arted by:
	(A)	Mr. Brennen	B)	Rev. Dawson
	(C)	Rev. Habik	(D)	Dr. Herman Guntert
93.	'Aathmak	adhakkoru Aamukham' is an autobiogr	aphy	of:
	(A)	Lalithambika Antharjanam	(B)	Devaki Nilayangode
	(C)	Lalitha Prabhu	(D)	Arya Pallam
94.	The perso	n who was not associated with Vaikom	strug	gle:
	(A)	K.P. Keshava Menon	(B)	T.K. Madhavan
	(C)	C.P. Ramaswami Iyer	(D)	Kurur Nilakantan Namboodiri
95.	Abhinjana	a Sakunthalam was translated into Ma	layala	am by:
	(A)	Kerala Varma Valiya Koyi Thamburan	(B)	A. Balakrishna Pillai
	(C)	M.R. Nair	(D)	C.V. Raman Pillai
96.	The first o	computer literate Panchayat in India is	:	
	(A)	Kaviyoor	(B)	Vellanad
	(C)	Chembilode	(D)	Nadapuram
97.	Vana Mal	notsava is associated with:		
	(A)	Jayaram Ramesh	(B)	Veerappa Moily
	(C)	Jayanthi Natarajan	(D)	K.M. Munshi
98.	Which pro	ogramme introduced in school aimed at	provi	ding basic amenity to the schools?
	(A)	Non-Formal Education Scheme	(B)	Sarva Shiksha Abhiyan
	(C)	Operation Black Board	(D)	Mahila Samakhya Programme
99.	Who amon	g the following has won the Wimbeldon W	Vomer	s's Singles Tennis Championship of 2015?
	(A)	Maria Sharappova	(B)	Serena Williams
	(C)	Martina Hingis	(D)	Venus Williams
100.		RD Minister Smt. Smrithi Irani laid by in the State of Kerala. It is being set		
	(A)	Kollam	(B)	Trissur
	(C)	Kannur	(D)	Palakkad