## 106/2021

Maximum: 100 marks

Time: 1 hour and 15 minutes

A		3		[P.T.O.]
	(C)	Decoding	(D)	Encoding
	(A)	Feedback	(B)	Channel
7.	In commu	inication process the content is conve	rted to c	odes is known as :
	(D)	Listen carefully to the problems		
	(C)	Use technical Language		
	(B)	Keep Right body language		
	(A)	Maintain eye contact with Client		
6.	Which of	the following is not a factor for couns	elling?	
	(C)	Secondary prevention	(D)	None of the above
	(A)	Primary prevention	(B)	Tertiary Prevention
<b>5</b> .	Rehabilita	ation comes under ————— level o	of preve	ntion.
	(C)	80,000	(D)	30,000
	(A)	20,000	(B)	5,000
4.	In Plain a	rea primary health centre covers an	average	population of:
	(C)	1983	(D)	1986
	(A)	1974	(B)	1978
3.	National 1	health policy started on:		
	(C)	Individual	(D)	Family
	(A)	Group	(B)	Patient
2.	For the coas:	ommunity diagnosis and community	treatme	nt, the entire community is considered
	(C)	Mental Health	(D)	Social Health
1.	(A)	Optimum Health	(B)	Physical Health
1.	The goal o	of every human being is to achieve:		

8.	Which of the following is not a criteria for the selection of ASHA?					
	(A)	Age group above 50 yrs				
	(B)	Being a woman volunteer				
	(C)	Minimum education up to $8^{th}$ class				
	(D)	She would be a resident of the Village	е			
9.	World He	alth Day is celebrated every year on :				
	(A)	July 8 <sup>th</sup>	(B)	June $5^{ m th}$		
	(C)	April $7^{ m th}$	(D)	April $22^{ m nd}$		
10.	Basic unit	of society is:				
	(A)	Group	(B)	Community		
	(C)	Population	(D)	Family		
11.	Which one	e of the following is a one way method o	of com	munication?		
	(A)	Lecture	(B)	Seminar		
	(C)	Symposium	(D)	Group Discussion		
12.	Judicial o	rgan of the Gram sabha is :				
	(A)	Gram Panchayat	(B)	Nyaya Panchayat		
	(C)	Village Panchayat	(D)	Panchayat samati		
13.	The head	quarters for UNICEF is :				
	(A)	Geneva	(B)	Delhi		
	(C)	New York	(D)	France		
14.	Anganwa	di teacher comes under ———— sch	neme.			
	(A)	ICDS	(B)	CARE		
	(C)	UNESCO	(D)	UNICEF		
<b>15.</b>	One angar	nwadi teacher covers a population of :				
	(A)	5,000	(B)	1,000		
	(C)	20,000	(D)	3,000		

106/2021 4 A

16.	Municipal	corporation is headed by:		
	(A)	Commissioner	(B)	Collector
	(C)	Chairman	(D)	Mayor
<b>17.</b>	The most	popular and most commonly used AV A	id is:	
	(A)	Black board	(B)	Flash card
	(C)	Flip chart	(D)	Bulletin board
18.	Which foo	d does not contain Vit C?		
	(A)	Peppers	(B)	Tomatoes
	(C)	Egg	(D)	Kiwi
19.	Vit. B <sub>3</sub> de	ficiency results :		
	(A)	Pellagra	(B)	Scurvy
	(C)	Rickets	(D)	Beri beri
20.	All are fat	soluble vitamins except:		
	(A)	Vit. A	(B)	Vit. B
	(C)	Vit. D	(D)	Vit. E
21.	Longest c	ranial nerve is :		
	(A)	Facial nerve	(B)	Vagus nerve
	(C)	Auditory nerve	(D)	Olfactory nerve
22.	The tempe	erature of water used for sponge bath of	f an ac	dult person is :
	(A)	$100^{\circ}\mathrm{F}$ to $105^{\circ}\mathrm{F}$	(B)	105°F to 110°F
	(C)	110°F to 115°F	(D)	115°F to 120°F
23.	Atmosphe	ric air contains ————————————————————————————————————	ı.	
	(A)	20.93%	(B)	16.40%
	(C)	79%	(D)	0.03%
24.	The amou	nt of bleaching powder needed to disinf	ection	of well:
	(A)	$15~\mathrm{gms}/1000~\mathrm{L}$ of water	(B)	$10 \; \mathrm{gms}/1000 \; \mathrm{L} \; \mathrm{of} \; \mathrm{water}$
	(C)	5  gms/1000  L of water	(D)	$2.5 \; \mathrm{gms/1000 \; L}$ of water

<b>25.</b>	The test u	sed to measure the residual chlorine after disinfection of water:			
	(A)	Dechlorination	(B)	Residual chlorination	
	(C)	Orthotolidine test	(D)	Breakpoint chlorination	
26.	The norm	al GFR is :			
	(A)	100 ml-105 ml/min	(B)	105 ml- 125 ml/min	
	(C)	100 ml- 105 ml/hour	(D)	105 ml - 125 ml/hour	
<b>27</b> .	The islets	of langerhans secretes hormone:			
	(A)	Aldosterone	(B)	Oestrogen	
	(C)	Insulin	(D)	Progesterone	
28.		ase mechanism in which the individual iour is called :	tries	to make excuses and justification for	
	(A)	Supression	(B)	Displacement	
	(C)	Projection	(D)	Rationalization	
29.	The ECT	was discovered by :			
	(A)	Bini	(B)	Maxwell	
	(C)	Ericson	(D)	Freud	
30.	Split pers	onality is otherwise called :			
	(A)	Mania	(B)	Schizophrenia	
	(C)	Depression	(D)	Paranoia	
31.	Absolute	contraindication for ECT is :			
	(A)	Catatonia	(B)	Depression	
	(C)	Brain tumour	(D)	Severe psychosis	
32.	Trust VS	Mistrust occurs in which period of life :			
	(A)	Preschool age	(B)	School age	
	(C)	Toddler	(D)	Infancy	
33.	In India t	he Mental health care act came into forc	e fron	m:	
	(A)	7 <sup>th</sup> April 2017	(B)	$29^{\mathrm{th}}$ May $2018$	
	(C)	19th August 2013	(D)	7 <sup>th</sup> July 2018	

34.		is blown into the rooms by centr ir is called :	ifugal fans t	o create a positive pressure to displace
	(A)	Plenum ventilation	(B)	Exhaust ventilation
	(C)	Stalk driven ventilation	(D)	Cross ventilation
<b>35.</b>	The abilit		ade and mu	ultiply(produce infection) in a host is
	(A)	Pathogenicity	(B)	Infectivity
	(C)	Virulence	(D)	Disability
36.		tant presence of a disease or in group is:	fectious age	ent within a given geographic area or
	(A)	Endemic	(B)	Epidemic
	(C)	Sporadic	(D)	Pandemic
<b>37.</b>	The only	class of immunoglobulin which	is transpor	rted across the placenta is:
	(A)	IgE	(B)	IgD
	(C)	IgG	(D)	IgA
38.	The level	of resistance of a community or g	roup of peop	le to a particular disease is:
	(A)	Cellular immunity	(B)	Passive immunity
	(C)	Active immunity	(D)	Herd immunity
39.	Vaccines	which must be stored in the freez	er compartn	nent are:
	(A)	Polio and measles	(B)	DPT and measles
	(C)	Rabies and tetanus	(D)	BCG and hepatitis
<b>40.</b>	The most	reliable method of physical steril	ization is :	
	(A)	Flaming	(B)	Radiation
	(C)	Heat	(D)	Filtration
41.	Pleomorp	hism is a characteristic feature of	f rash in :	
	(A)	Small pox	(B)	Chicken pox
	(C)	Measles	(D)	Rubella
<b>42.</b>	The antitu	uberculosis drug which causes pe	ripheral neu	ropathy is:
	(A)	Rifampicin	(B)	Pyrazinamide
	(C)	Streptomycin	(D)	Isoniazid

<b>43.</b>	<b>B.</b> Pulse polio immunization programme was launched in India in the year :			
	(A)	2000	(B)	1995
	(C)	1990	(D)	1985
44.	The causa	tive agent of malaria is :		
	(A)	Wuchereria	(B)	Mansonella
	(C)	Plasmodium	(D)	Brucella
<b>45.</b>	Night blin	dness is caused by deficiency of :		
	(A)	Vit A	(B)	Vit B
	(C)	Vit C	(D)	Vit D
46.	The positi	on given to the patient to relieve dyspn	oea is	:
	(A)	Prone	(B)	Supine
	(C)	Fowler's	(D)	Lithotomy
<b>47.</b>	Rice water	r stool indicates :		
	(A)	Typhoid	(B)	Cholera
	(C)	Dysentery	(D)	Colitis
48.	Waste wa	ter which does not contain human excre	eta is	called :
	(A)	Sullage	(B)	Sewage
	(C)	Sludge	(D)	Effluent
49.	The most	common fracture seen in children is :		
	(A)	Depressed	(B)	Comminuted
	(C)	Greenstick	(D)	Complicated
<b>50</b> .	Over stret	ching of a muscle due to a sudden effor	t or tv	visting of the part is:
	(A)	Subluxation	(B)	Sprain
	(C)	Dislocation	(D)	Strain
<b>51.</b>	Severe boo	dy response to an allergic substance is t	terme	d as:
	(A)	Cardiogenic shock	(B)	Anaphylactic shock
	(C)	Neurogenic shock	(D)	Septic shock
<b>52.</b>	Wounds ca	aused by moist heat such as boiling wat	ter, ho	ot tea, coffee and steam is:
	(A)	Burns	(B)	Heat exhaustion
	(C)	Scalds	(D)	Abrasion

<b>53.</b>	Drugs wh	ich increase the flow of urine is :		
	(A)	Carminatives	(B)	Emetics
	(C)	Expectorants	(D)	Diuretics
<b>54.</b>	The most	commonly used muscle for intramuscu	lar inj	ection in children under two years is
	(A)	Quadriceps	(B)	Gluteal
	(C)	Deltoid	(D)	Soleus
<b>55</b> .	The 'right	s of children' was declared by		
	(A)	UNESCO		
	(B)	World Health Organization		
	(C)	United Nations		
	(D)	UNICEF		
<b>56.</b>	The main	focus of ICDS scheme is to improve the	e nutr	ition and health status under
	(A)	0-4 years of age		
	(B)	0-3 years of age		
	(C)	0-8 years of age		
	(D)	0-6 years		
<b>57</b> .	Which of	the following is a live attenuated vaccir	ne?	
	(A)	BCG vaccine	(B)	Rabies vaccine
	(C)	Diphtheria vaccine	(D)	Hepatitis B vaccine
<b>58.</b>	Integrate	d management of childhood illness (IM	NCI) i	s a new strategy developed by
	(A)	WHO and UNICEF	(B)	UNESCO and UNICEF
	(C)	NUHM and NRHM	(D)	NHM and UNICEF
<b>59.</b>	Measles v	raccine is administered at the age of		
	(A)	six weeks	(B)	ten weeks
	(C)	six months	(D)	nine months
60.	Weaning	should be started at the age of		
	(A)	6-8 months	(B)	7-9 months
	(C)	4-6 months	(D)	5-7 months

61.	Normal average length of a newborn baby should be					
	(A)	45-50 cm	(B)	48-53 cm		
	(C)	40-48 cm	(D)	52-55 cm		
62.	Normally,	a neonate passes urine and meconiu	m with	in		
	(A)	one hour	(B)	five hours		
	(C)	12 hours	(D)	24 hours		
63.	The anter	ior fontanelle normally closes by				
	(A)	12-18 months	(B)	12-18 weeks		
	(C)	6-8 weeks	(D)	10-12 months		
64.	According	to WHO, adolescence is a period of lif	fe from			
	(A)	12-18 years	(B)	12-19 years		
	(C)	10-15 years	(D)	10-19 years		
<b>65.</b>	The first s	sign of puberty in adolescent girls is				
	(A)	Menarche	(B)	Appearance of breast buds		
	(C)	Appearance of acne	(D)	Growth of pubic hair		
66.	No menst	rual period for more than six months i	is called	d		
	(A)	Dysmenorrhoea	(B)	Menorrhagia		
	(C)	Menarche	(D)	Amenorrhea		
67.	Normally,	birth weight of a baby doubles by				
	(A)	3 months	(B)	6 months		
	(C)	9 months	(D)	12 months		
68.	What is th	ne normal shape of female pelvic brim	?			
	(A)	Round	(B)	Oval		
	(C)	Heart shaped	(D)	Kidney shaped		
69.	Which is t	the part of the reproductive system wh	nere fer	tilization takes place?		
	(A)	Uterus	(B)	Cervix		
	(C)	Ampulla	(D)	Isthmus		

<b>70.</b>	Umbilical	cord consists of:			
	(A)	2 arteries and 2 veins	(B)	1 artery and 1 vein	
	(C)	1 artery and 2 veins	(D)	2 artery and 1 vein	
71.	Deficiency	y of ———— Causes neu	ral tube defects.		
	(A)	Iron	(B)	Calcium	
	(C)	Vit D	(D)	Folic Acid	
72.	Average v	veight gain during pregnanc	y:		
	(A)	10 kg	(B)	12 kg	
	(C)	$8 \mathrm{~kg}$	(D)	16 kg	
<b>73.</b>	Effacemen	nt of cervix means :			
	(A)	Dilatation of cervix			
	(B)	Taking up of cervix			
	(C)	Tear of cervix			
	(D)	Rupture of cervix			
74.	Normal fe	etal heart rate is:			
	(A)	60 to 100	(B)	80 to 120	
	(C)	100 to 140	(D)	120 to 160	
<b>75.</b>	Uterus is	palpable at how many week	s of gestation:		
	(A)	4 weeks	(B)	6 weeks	
	(C)	12 weeks	(D)	8 weeks	
<b>76.</b>	Normal la	abour is otherwise known as	:		
	(A)	Parturition	(B)	Eutocia	
	(C)	Dystocia	(D)	Shoulder dystocia	
77.	A surgical	l incision into the perineum	to enlarge the ou	tlet:	
	(A)	LSCS	(B)	D & C	
	(C)	IUD	(D)	Episiotomy	
<b>78.</b>	Fine down	ny hair on shoulder and bacl	k of newborn is:		
	(A)	Milia	(B)	Lanugo	
	(C)	Mangolian spots	(D)	Vernix	
A			11		106/2021 [P.T.O.]

A

<b>79</b> .	Vaginal d	ischarge during puerperium:					
	(A)	Lochia	(B)	Blood			
	(C)	Amniotic fluid	(D)	Meconium			
80.	Hydatidif	orm mole is otherwise known as:					
	(A)	Multiple pregnancy					
	(B)	Molar pregnancy					
	(C)	Teenage pregnancy					
	(D)	Intra uterine death					
81.	In twin p	regnancy division occurs after the dev	elopmei	nt of embryonic disc :			
	(A)	Monozygotic Twin	(B)	Dizygotic Twin			
	(C)	Conjoined Twin	(D)	Quadruplets			
82.	Newborn	before 37 weeks gestation :					
	(A)	Term	(B)	Preterm			
	(C)	SGA	(D)	LGA			
83.	Occiput p	osteriorly over right sacroiliac joint:					
	(A)	LOA	(B)	ROA			
	(C)	LOP	(D)	ROP			
84.	The capac	city of a couple to conceive:					
	(A)	Infertility	(B)	Fertility			
	(C)	Subfertility	(D)	Conception			
85.	The woma	an start taking birth control pills on a	ıbout da	y — of cycle.			
	(A)	1	(B)	5			
	(C)	10	(D)	14			
86.	What does	s census provide us?					
	(A)	Information regarding population					
	(B)	Information regarding resources					
	(C)	Information regarding agricultural	income				
	(D)	Information regarding crops					

	(A)	Urine				
	(B)	Sweat				
	(C)	Blood				
	(D)	Tears				
88.	Which is t	he most common STI caused b	y Bacteria	ı?		
	(A)	Gonorrhea				
	(B)	Syphillis				
	(C)	Chlamydia				
	(D)	Genital warts				
89.	A woman cycles.	is considered to be in meno	pause aft	er sl	ne has missed —————	menstrual
	(A)	3		(B)	6	
	(C)	9		(D)	12	
90.	Which str	ategies help women become mo	ore socially	y and	d economically empowered?	
	(A)	Women working together to c	hallenge o	discri	imination	
	(B)	More income sources for wom	en			
	(C)	Improved access to education				
	(D)	All of the above				
91.	Organoge	nesis is complete at :				
	(A)	2 weeks after ovulation		(B)	6 weeks after ovulation	
	(C)	8 weeks after ovulation		(D)	18 weeks after ovulation	
92.	World bre	astfeeding week is:				
	(A)	August 1-7		(B)	September 1-7	
	(C)	October 1-7		(D)	November 1-7	
93.	Total Bish	nops score is :				
	(A)	10		(B)	8	
	(C)	6		(D)	13	
A			13			106/2021 [P.T.O.]

87. HIV can be spread through infected persons

94.	There are	———— fontenells in fetal skull.		
	(A)	1	(B)	2
	(C)	3	(D)	4
95.	JSSK laur	nched in India on		
	(A)	June 2011	(B)	April 2005
	(C)	May 1962	(D)	June 1953
96.	Which is	the peripheral unit available at villag	ge lev	el to take care of health needs of the
	Communi	ty?		
	(A)	Primary Health Centre	(B)	Community Health Centre
	(C)	Sub centre	(D)	Taluk Hospital
97.	Committe	e gave the concept of primary health ce	ntre :	
	(A)	Kartar singh committee	(B)	Bhore committee
	(C)	Mukerjee committee	(D)	Shrivastav committee
98.	Which is t	he executive organ of the Gram Sabha?	•	
	(A)	Executive officer	(B)	Gram panchayat
	(C)	Nyaya panchayat	(D)	Zilla parishad
99.	National r	nental health program was launched d	uring	which five year plan?
	(A)	3 <sup>rd</sup> five year plan	(B)	4 <sup>th</sup> five year plan
	(C)	6 <sup>th</sup> five year plan	(D)	7 <sup>th</sup> five year plan
100.	Stock of g	oods known as :		
	(A)	Report	(B)	Inventory
	(C)	Record	(D)	Stock

## SPACE FOR ROUGH WORK

## SPACE FOR ROUGH WORK